


HANDLING INSTRUCTION opticalCON® DUO | Maintenance








CAUTION: Laser radiation, do not look directly into beam of light!

The sealing shutter mechanism of the opticalCON[®] avoids contamination of the LC ferrule locked inside. The dust-proof design reduces maintenance intervals to a minimum; if nevertheless necessary, follows the maintenance procedure below to avoid damages on the due to inpropes cleaning.

A. Connector Cleaning / Inspection

Intervall:	every 500 matings recommended
Tools:	 NEUTRIK[®] DUO service Tool (FOCD-STD) Dry Cleaner 1.25 mm (FOCD-DC125) optical fiber video probe




1. Disconnect both cable ends for safety reasons. Invisible laser radiation may be emitted from disconnected fibers or connectors. Do not stare into beams or view directly with optical instruments.

2. Remove dust cap from the connector (A) and mount NEUTRIK FOCD-STD inspection tool on it until it is locked (B).

Prepare the optical fiber video probe with the correlate tip (C).
 Under the following QR-code you can find a list with appropriate video probs and tips.



HANDLING INSTRUCTION | opticalCON[®] DUO




1) (





9. After the cleaning procedure unlock the NEUTRIK inspection tool (G).

B. Chassis Cleaning



- Tools: Dry Cleaner 1.25 mm (FOCD-DC125)
 - 99% isopropyl alcohol (IPA) or cleaning fluid (FOCD-CF)
 - Lint free wipes (FOCD-DW)
 - Video probe (CAS-FOCD)

1. Dry cleaning using FOCD-DC125

- **1.1** Remove Dust cap. Insert the stick of the cleaning device.
- **1.2** Make sure that the insertion position is on the bottom of the LC connector hole in order to hit the sealing shutter release bar.
- **1.3** Push the outer shell to start cleaning the LC connector end face.

A "pop" sound indicates end of cleaning process.

1.4 Remove the cleaning device and put dust cap over the stick.

2. Wet cleaning using lint-free wipes

- 2.1 Inspect the LC connectors with a fiberscope (CAS-FOCD)
- **2.2** Fold a lint-free wipe FOCD-DW into a square.
- **2.3** Moisten one section of the wipe with one drop of the alcohol. Be sure that a portion of the wipe remains dry.
- 2.4 Wipe lightly the ferrule tip in the alcohol moistened portion of the wipe. Immediately repeat this wiping action on the dry section of the wipe to remove any residual alcohol. Do not acrub the fiber accient the wipe, doing so con

Do not scrub the fiber against the wipe, doing so can cause scratches.

- **2.5** Dispose the wipe, NEVER REUSEAWIPE.
- 2.6 Inspect the connector again with a fiberscope (CAS-FOCD).
- 2.7 Repeat the process if necessary.

NEUTRIK USA Inc. USA T: +1704/972 3050 F: +1704/438 9202 NEUTRIK Tokyo Ltd NEUTRIK (UK) Ltd. UK T: +44 1983/811441 F: +44 1983/811439 NEUTRIK Hong Kong NEUTRIK Vertriebs GmbH DE/NL/AT/DK T: +49 8131/280 890 F: +49 8131/280 830 NEUTRIK India Pvt.	Ltd. HK	T: +852/2687 6055
---	---------	--------------------------



Draft. Nr.: BDA 520 | Update: 11.05.2017 | Data subject to change without prior notice. ©2017 NEUTRIK* . ALL RIGHTS RESERVED. NEUTRIK* is a registered trademark.



